

Case No: 2023-0380 Date of visit: 29/08/2023

Time spent on site: 20 mins Main Inspector: [Redacted]

Site No: FS1353 Site Name: AGRF (RAS B)

Business No: FB0568 Business Name: The Roslin Institute

Case Types: 1 REG 2 [ ] 3 [ ] 4 [ ] 5 [ ] 6 [ ]

Water Temp (°C): [ ] Thermometer No: [ ] FHI 045 completed [ ]

Observations: Region: LO Water type: F CoGP MA: [ ]

Dead/weak/abnormally behaving fish present? [ ] If yes, see additional information/clinical score sheet.

Clinical signs of disease observed? [ ] If yes, see additional information/clinical score sheet.

Gross pathology observed? [ ] If yes, see additional information/clinical score sheet.

Diagnostic samples taken? [ ]

UNI/REG only - if unable to carry out intended visit detail reason below:

fallow

**Additional Case Information:**

Site currently fallow and has never held stock. The 50 litre tanks at the site were not fit purpose so have been removed and are going to be replaced.

Hope to stock site in October with trout for IPN trials. - Look to visit in October if stocked.





# FISH HEALTH INSPECTORATE VISIT REPORT

## SUMMARY FOR INFORMATION OF SITE OPERATOR

<b>BUSINESS No</b>	FB0568	<b>DATE OF VISIT</b>	29/08/2023
<b>SITE No</b>	FS1353	<b>SITE NAME</b>	AGRF (RAS B)
<b>CASE No</b>	20230380	<b>INSPECTOR</b>	[REDACTED]

### Inspection under the Aquatic Animal Health (Scotland) Regulations 2009

The above site was inspected, in accordance with the Aquatic Animal Health (Scotland) Regulations 2009.

On this occasion, the site was found to be fallow. We plan to revisit the site in October when it may be stocked.

Please contact myself or the duty inspector should you require any further information or have any queries regarding this report.

Signed:

Fish Health Inspector

Date: 14/09/2023

The Fish Health Inspectorate Service Charter detailing standards of service is available on the Scottish Government website at [Fish Health Inspectorate Service Charter - gov.scot \(www.gov.scot\)](https://www.gov.scot/policies/fish-health-inspectorate/)